# **CHAPTER 7:**

# **GETTING OUT**

**USING CQ** 

### **PURPOSE**

In this chapter, you will learn how to log off of the ASAP system. Logging off improperly may cause problems on your next attempt to access ASAP.

### **GUIDE TO EXAMPLES**

The examples in the chapter will show how to get out of ASAP using CQ for DOS and CQ for WINDOWS communications software.

## **EXAMPLE ONE**

Using CQ for DOS, we will sign off from ASAP.

### **STEP 1: ACTION**

Navigate to any menu or sub-menu and press the F2=EXIT function key. The Main Menu is shown below:

SP010A	AUTOMATED S	STANDARD APPLICATION FOR PAYME	NTS		08/02/00
SP010AO	MAIN MENU				HH:MM:SS
08/02/2000	Т				
	<1>	PAYMENT REQUEST PROCESSING			
	<2>	INQUIRY MENU			
	<3>	FEDERAL AGENCY FUNCTIONS MEN	J		
	<4>	RFC FUNCTIONS MENU			
	<5>	FRB SUPPORT PROCESSING			
	<6>	REPORT REQUEST MENU			
	<7>	NOTIFICATIONS			
	А	SAP ID:	ENTER	SELECTION	NUMBER:
ORGANIZATION ACCESS CODE:			PRESS	ENTER	
F2=EXI	T				

### **STEP 1: RESULT**

The user is returned to the FRAS screen, as shown below.

USSSFR LU = E1L2NXXX (NODE NAME)

**FRAS** 

This is a private network for authorized uses by authorized users only.

Unauthorized access attempts are subject to legal prosecution.

### **STEP 2: ACTION**

The user presses the Esc key once.

USSSFR LU = E1L2NXXX (NODE NAME)

**FRAS** 

This is a private network for authorized uses by authorized users only.

Unauthorized access attempts are subject to legal prosecution.

### **STEP 2: RESULT**

The following selections appear on the FRAS Screen.

USSSFR LU = E1L2NXXX (NODE NAME)

**FRAS** 

This is a private network for authorized uses by authorized users only.

Unauthorized access attempts are subject to legal prosecution.

- 1 Choose Session to View
- 2 Destination Entry for Printer Data
- 3 Suspend/Cancel/Resume Data Transfer

ESC - Go to Main Menu

Enter - Return to Emulation Screen

Choose one of the above

(The Status Line Appears here)

### **STEP 3: ACTION**

The user presses Esc again to navigate to the CQ Main Menu.

### USSSFR LU = E1L2NXXX (NODE NAME)

### **FRAS**

This is a private network

for authorized uses by authorized users only.

Unauthorized access attempts are subject to legal prosecution.

- 1 Choose Session to View
- 2 Destination Entry for Printer Data
- 3 Suspend/Cancel/Resume Data Transfer

ESC - Go to Main Menu

Enter - Return to Emulation Screen

Choose one of the above

### **STEP 3: RESULT**

The CQ Main Menu is displayed.

## CQ-3270R SNA Station Emulator w/DES Release 3.4 MAIN MENU

- 1 Choose Session to View
- 2 Destination Entry for Printer Data
- 3 Suspend/Cancel/Resume Data Transfer
- 4 Reestablish connection to host
- 5 Display SNA Diagnostic Information
- 6 Disconnect Host, Terminate Emulator

Press one of the above numbers:

Scroll Lock for Help; Ctrl-Alt Esc to Hot Key; Shift Scroll Lock to Acknowledge

### **STEP 4: ACTION**

The user selects menu option 6 to exit.

## CQ-3270R SNA Station Emulator w/DES Release 3.4 MAIN MENU

- 1 Choose Session to View
- 2 Destination Entry for Printer Data
- 3 Suspend/Cancel/Resume Data Transfer
- 4 Reestablish connection to host
- 5 Display SNA Diagnostic Information
- 6 Disconnect Host, Terminate Emulator

Press one of the above numbers: 6

Scroll Lock for Help; Ctrl-Alt Esc to Hot Key; Shift Scroll Lock to Acknowledge

### **STEP 4: RESULT**

The user will be prompted to confirm (Y/N).

### CQ-3270R SNA Station Emulator w/DES Release 3.4

### **MAIN MENU**

- 1 Choose Session to View
- 2 Destination Entry for Printer Data
- 3 Suspend/Cancel/Resume Data Transfer
- 4 Reestablish connection to host
- 5 Display SNA Diagnostic Information
- 6 Disconnect Host, Terminate Emulator

Are you sure you want to exit? (Y/N):

Scroll Lock for Help; Ctrl-Alt Esc to Hot Key; Shift Scroll Lock to Acknowledge

### **STEP 5: ACTION**

Respond with a Y for Yes to the Are You Sure message.

CQ-3270R SNA Station Emulator w/DES Release 3.4

MAIN MENU

- 1 Choose Session to View
- 2 Destination Entry for Printer Data
- 3 Suspend/Cancel/Resume Data Transfer
- 4 Reestablish connection to host
- 5 Display SNA Diagnostic Information
- 6 Disconnect Host, Terminate Emulator

Are you sure you want to exit? (Y/N): Y

Scroll Lock for Help; Ctrl-Alt Esc to Hot Key; Shift Scroll Lock to Acknowledge

### **STEP 5: RESULT**

You are returned to the C:\CQ prompt in DOS.

:\CQ>

## **EXAMPLE TWO**

Using CQ for Windows, we will sign off from ASAP.

### **STEP 1: ACTION**

Navigate to any menu or sub-menu and press the F2 EXIT function key. The Main Menu is shown below:

SP010A	AUTOMATED STA	NDARD APPLICATION FOR PAYMENTS			02/00
SP010AO			HH:	MM:SS	
08/02/2000	T				
	<1>	PAYMENT REQUEST PROCESSING			
	<2>	INQUIRY MENU			
	<3>	FEDERAL AGENCY FUNCTIONS MENU			
	<4>	RFC FUNCTIONS MENU			
	<5>	FRB SUPPORT PROCESSING			
	<6>	REPORT REQUEST MENU			
	<7>	NOTIFICATIONS			
		ASAP ID:	ENTER	SELECTION	NUMBER:
ORGANIZATION ACCESS CODE:			PRESS	ENTER	
F2=EXIT					

### **STEP 1: RESULT**

The user is returned to the FRAS screen, as shown below. Click on **File**, then **Exit**. At the CQ Win box, Click on **File** and **Close**.

 $\begin{aligned} & USSSFR \; LU = E1L2NXXX \; (NODE \; NAME) \\ & FRAS \end{aligned}$ 

This is a private network for authorized uses by authorized users only.

Unauthorized access attempts are subject to legal prosecution.